



NOKONDEN  
诺康盾™

# MOBILE AEROSOL DISINFECTION VERSION

A01

The thermometry and disinfection integrated channel from Nokonden is used for disinfection of body, pet, goods and other objects in public space entrance when emergency public health events occur. The operation of the equipment is under intelligent control, and there is no need for special personnel to operate.

The equipment has many functions, such as automatic liquid feeding, real-time display of running state, automatic reaction of entry and exit objects, fog quantity and spray time can be adjusted; equipped with casters and handles, convenient for mobile and rapid deployment; exquisite appearance, scientific and safe in design, and convenient in recycling waste liquid , and protect the environment.





NOKONDEN  
诺康盾™



## Advantages

1. Atomization disinfection function, comprehensive disinfection to ensure safety
2. Non-contact alcohol sterilizer specially for hand using to avoid crossing infection
3. Sole disinfection
4. Stable control disinfectant quantity to ensure disinfection effect
5. Reminder of equipment status
6. Automatic fluid infusion & Waste liquid collection
7. Illumination of the channel with 24 hours using
8. Universal casters with brakes, Movable
9. Original patent & Attractive appearance

Patent Application No. 202030053956.4 202020183189.3



Type	A01	Working environment	10~40℃ (Unusable below 0 degrees, disinfectant freezes and cannot be atomized)	Spray efficiency	1-3Kg/H
Size	L180*W110*H241cm	Inner channel size	L180*W100*H197cm	Spray area protection method	Magnetic PVC curtain
Working Voltage	AC220V	Disinfection type	Automatic induction spray	Spray disinfection waiting time	5-15 seconds recommended (Stay according to personal needs, the device does not make mandatory control)
Rated power	900 W	The length of spray channel	116cm	Disinfectant type	100-400PPM diluted solution of chlorine dioxide, 200PPM diluted solution of hypochlorous acid
Equipment material	Cold rolled steel plate	Fog making way	Ultrasonic atomizing	Disinfection tank capacity	15L
Rainproof function	Equipment housing with rain protection (Open access doors are not rainproof)	Spray control method	Microwave induction start, delay stop (Delay adjustable :5-60 seconds), 2 fog outlets	Hand disinfection type	Independent area induction spray type, disposable disinfectant





NOKONDEN


诺康盾™



## Shandong Nokonden Antiepidemic Equipment Co., Ltd.

Nokonden is a wholly-owned subsidiary of Shandong JEKEEN Intelligent Manufacturing Technology Co., Ltd., focusing on the research and development and manufacturing of antiepidemic equipment such as temperature measurement, disinfection, and mobile medical space.

The company has an intelligent factory of 60,000 m<sup>2</sup> and a R&D team of 100 people. Relying on its strong R & D and manufacturing capabilities, it has developed dozens of products such as temperature measurement channels, disinfection channels, and medical cabins. It provides safe, accurate and flexible anti-epidemic equipment solutions for all kinds of public places, such as schools, hospitals, communities, enterprises and institutions, public transportation, and leisure places, etc.







**NOKONDEN**  
诺康盾™

**Shandong Nokonden Antiepidemic Equipment Co., Ltd.**

NO. 11666 Guting street economic development zone Weifang , Shandong, China

